

**WESTERN MOTORS SERVICE \* DC MOTORS from 6V thru 72V**

PLACE  
STAMP

WESTERN MOTORS SER. & MFG.  
1211 23rd AVE.  
ROCKFORD, IL. 61104 USA



PLACE MAILING  
LABEL HERE  
(NORTH)



**\* FALL/WINTER 2018/2019 \* NEW ITEMS / FLYER \***



**Check out the complete updated catalog on our web site  
with search options at [www.wms1.com](http://www.wms1.com) <> or email us at [westernmotors@wms1.com](mailto:westernmotors@wms1.com)  
( Prices are subject to change without notice )**



MOTOR COVER PROTECTS MOTORS FROM  
RAIN, SNOW . FOR THE 3" DIA. MOTOR

**"WMS" PART # SRMC**



DE FRAME GASKET  
FOR WESTERN AND  
FISHER SNOW PLOW  
MOTORS

**PART # WG-994**



MOTOR COVER PROTECTS MOTORS FROM  
RAIN, SNOW . FOR THE 4.5" DIA. MOTOR

**"WMS" PART # RMC**



**\*12V\* SALT SPREADER MOTOR ( 2 ) WIRE MOTOR  
2.5"/63.5mm long, .625" dia. shaft w/a 13/64" pin hole**

**"WMS" PART NUMBER, P56SX049**

REPLACES NUMBERS, 0415005100, 500049, 34102  
( APPLICATIONS ) ( MEYER & SWENSON SPREADER )  
( Continuous Duty <> 650 RPM <> 20 AMP. <> 1/2 HP )

**PHONE TOLL FREE 800-810-0401 or call 815-986-2214 <> FAX 815-986-2566**

**ITEMS IN STOCK ARE SHIPPED THE SAME DAY VIA. UPS IF ORDERED BY 3 PM ( C.S.T. )**

**OPEN ACCOUNTS ARE AVAILABLE WITH APPROVED CREDIT <> WE ALSO SHIP \*\* VISA / MC / AMEX / COD \*\***

**\*\* Notice \*\* We now offer shipping via SPEE-DEE Delivery Service & UPS \*\*  
Spee-Dee is next day to, IL / IA / WI & certain area's in MN & NE ask about shipping to your area.**

**“WMS” PART NUMBER W-8085**

\* 12V \* ( CCW ) 3” DIAMETER MOTOR

SLOT SHAFT MOTOR WITH 0.256 SLOT  
( .8KW )

REPLACES NUMBERS,

W8085, 39200485

( APPLICATIONS )

( MTE PUMPS, BLIZZARD SNOW PLOWS )

(MOTOR IS 5.5” LONG)

**“WMS” PART NUMBER W-8015**

\* 12V\* DBB \* ( 2 ) POST SPREADER MOTOR \*  
FOR SNO-WAY STYLE

1/3 & 1/2 HP SALT SPREADER MOTORS  
SHAFT DIAMETER IS .5”, SHAFT LENGTH IS 2”


REPLACES NUMBERS,

113-0675092046, 96105846,  
301217182D, 3D1217182D ETC.

( APPLICATION )

( SNO-WAY 6 & 9 RECEIVER SALT SPREADERS )

( WITH SEALS AND O-RINGS  
TO HELP KEEP WATER OUT )

**“WMS” PART NUMBER W-8018**

\* 12V \* ( 3” Dia. ) SPREADER MOTOR  
FOR BUYERS EQUIP.

REPLACES NUMBERS,


EX0712, BPC12, 062804, 3005414, 3005693,  
EX-0712, BP801-0058, BP801-005B, BPC-12,

( APPLICATIONS )

( BUYERS SALT SPREADERS )

( Shaft length is 1.4” Shaft diameter is .500  
with flat area for a set screw)

( WITH SEALS & O RINGS TO HELP  
KEEP WATER OUT )

**“WMS” PART NUMBER W-8815**

\*12V\* 3” DIAMETER (PM) MOTOR  
1/2” SHAFT DIAMETER, 2” SHAFT LENGTH

FOR THE WESTERN AND FISHER STYLE SALT  
SPREADER EQUIPMENT

REPLACES NUMBERS,

064953, 65416, 022-064953-7-022,  
0220649537022, F9524, F9524A, 069616787209,  
06961678,054-94-1242-0434 0549412420434,  
5061, 107974490221, 1220182, 1220182H,  
1409019, 301220182, 3012201820, 801220182H,  
301220182H, 3D-1220182H, 3D1220182,  
3D12201828, 3D1220182D

( WITH SEALS AND O-RINGS TO  
HELP KEEP WATER OUT )

**“WMS” PART NUMBER, W-6832**

\*12V\* 3” DIAMETER “PM”  
SLOT SHAFT SPREADER MOTOR

REPLACES NUMBERS,

W8832, 3006832, W-8832, BP801-G01

( APPLICATIONS )

( 3” DIA. BUYERS SALT SPREADER )

( Motor is 4.5” long )

( Mounting flange has 3” centers )

( The shaft slot is 0.100 / 2.54mm wide )

( Connector wires are 11” / 279.4mm long )

**“WMS” PART NUMBER, W-8430**

\*12V\* PM ( 2 ) WIRE <> 3.5” DIAMETER  
SHAFT MOTOR FOR SPREADERS

REPLACES NUMBERS,


Z108116, W8430, WC2087Z108116

( APPLICATIONS )

( WESTERN TORNADO AND POLY CASTER )  
CONNECTOR WIRES ARE 15” LONG

10/32 MOUNT/BOLTS ARE ON 71mm CENTERS

SHAFT IS 1.5” / 38.1mm LONG & 1/2” 0.500 IN  
DIAMETER W/A FLAT AREA FOR A SET SCREW )



**"WMS" PART NUMBER, W-6206**

\*12V\* ( 4 ) FIELD COIL MOTOR WITH  
"INSULATED GROUND"

PLOW MOTOR WITHOUT DE FRAME

REPLACES NUMBERS,

MUE6206A, 66503, MUE-6206A, 46-4175

( APPLICATIONS )

( LATE FISHER AND WESTERN  
SNOW PLOWS W/O DE FRAME )

( WITH THRU BOLTS AT THE  
6 & 12 POSITION )

( For a 24V motor use W-9228D )



**"WMS" PART NUMBER, W-6206D**

\*12V\* ( 4 ) FIELD COIL MOTOR WITH  
"INSULATED GROUND"

PLOW MOTOR WITHOUT DE FRAME

REPLACES NUMBERS,

MUE6206A, 66503, MUE-6206A, 46-4175

( APPLICATIONS )

( LATE FISHER AND WESTERN  
SNOW PLOWS W/O DE FRAME )

( WITH THRU BOLTS AT THE  
6 & 12 POSITION )

(With ball bearing CE frame)



**"WMS" PART NUMBER, MUE6308A**

AMETEK / PRESTOLITE MOTOR  
\*12V\* ( CCW ) "DBB" HD / 2 FIELD  
SLOT SHAFT MOTOR

( SERIES COILS FOR HIGH RPM & POWER )

REPLACES NUMBERS,

S203T\*5051, W8526

39200526, S203T5051

( APPLICATIONS )

( HINIKER SNOW PLOWS, MTE PUMPS )

With ball bearing CE frames



**"WMS" PART NUMBER, W-6306D**

\*12V\* ( 4 ) FIELD COIL MOTOR WITH  
"INSULATED GROUND"

PLOW MOTOR WITHOUT DE FRAME

Same as the W-6206D except for the  
thru bolt position

REPLACES NUMBERS,

MUE-6306, W6306D, MUE-6306S, W6306

( APPLICATIONS )

( LATE FISHER AND WESTERN  
SNOW PLOWS W/O DE FRAME )

( WITH THRU BOLTS AT THE 3 & 9 POSITION )

(With ball bearing CE frame)



**"WMS" PART NUMBER, MUE6306S**

AMETEK PRESTOLITE MOTOR

\*12V\* ( 2 ) FIELD COIL MOTOR WITH  
"INSULATED GROUND"

PLOW MOTOR WITHOUT DE FRAME

Same as the W-6206D except for the  
thru bolt position

( APPLICATIONS )

( LATE FISHER AND WESTERN SNOW PLOWS  
W/O DE FRAME )

( WITH THRU BOLTS AT THE 3 & 9 POSITION )



**"WMS" PART NUMBER, W-9228**

\*24V\* ( 4 ) FIELD COIL MOTOR WITH  
"INSULATED GROUND"

PLOW MOTOR WITHOUT DE FRAME

REPLACES NUMBERS,

W9228, W9228D

( APPLICATIONS )

( LATE FISHER AND WESTERN  
SNOW PLOWS W/O DE FRAME )

( WITH THRU BOLTS AT THE  
6 & 12 POSITION )

( For a 12V motor use W-6206D )



**“WMS” PART NUMBER, W-98970**

**\*12V\* (PM) SHA/MOTOR .5HP\*) HD (4.5” DIA.)  
DBB “PM” MOTOR 3/4” DIA. SHAFT MOTOR  
Has wires with connector plugs on the ends**

REPLACES NUMBERS

3016309, 1400601, 924405S, 1400601SS

(APPLICATIONS)

( SNOWDOG SPREADERS )

(SHAFT DIAMETER IS 0.750” )

( SHAFT LENGTH IS 3.5” )

( SHA/HAS A 0.310 HOLE 1” BACK FROM END)

( 1/2HP ) ( 800 RPM )

( FULL LOAD AMPS = 16 )

**“WMS” PART NUMBER, W-98971**

**\*12V\* (PM) SHA/MOTOR .5HP\*) HD (4.5” DIA.)  
DBB “PM” MOTOR 3/4” DIA. SHAFT MOTOR  
Has wires with connector plugs on the ends**

REPLACES NUMBERS

BP801-022A, 3014058, 3014078

PM46R-82F-1001, 46R82F1001

(APPLICATIONS)

( SNOWDOG SPREADERS )

(SHAFT DIAMETER IS 0.750” )

( SHAFT LENGTH IS 7.25” )

SHAFT HAS 12mm x 16mm FLAT AREA  
( SHA/HAS A 0.310 HOLE 1” BACK FROM END)

( 1/2HP ) ( 800 RPM )

( FULL LOAD AMPS = 16 )

**“WMS” PART NUMBER, W-98987**

**\*12V\* (PM) SHA/MOTOR .5HP\*) HD (4.5” DIA.)  
DBB “PM” MOTOR 5/8” SHAFT MOTOR  
Has wires with connector plugs on the ends**

REPLACES NUMBERS

D-6887

(APPLICATIONS)

( SP9300 & SP9500 MODEL SPREADERS )

(MOTOR IS 8.5” LONG)

( SHAFT LENGTH IS 5.8” WITH FLAT AREA )

( 1/2HP ) ( 800 RPM )

( FULL LOAD AMPS = 16 )

**0.625” / 15.87mm ( shaft diameters ) 0.500” / 12.7mm**



**“WMS” PART NUMBER, W-8858**

**\*12V\* REP. FOR 4.8” Dia. ROCKIT CORP.**

**Shaft diameter is 0.625**

REPLACES NUMBERS,

50084, W8858,

( APPLICATIONS )

( ROCKIT CORP. & BLIZZARD

SALT & SAND SPREADERS )

( WITH SEALS AND O-RINGS  
TO HELP KEEP WATER OUT )

**(0.625 Shaft diameter with bar key slot)**

**( Shaft length is 1.5” ) ( 985 RPM )**

**“WMS” PART NUMBER, W-8805**

**\*12V\* REP. FOR 4.8” Dia. MEYERS AND BUYERS**

REPLACES NUMBERS,

M-2100, M-5000, W-8800, 4854420M048HM,

M4854420HM02223, 485440, 690-060,

0462800108, 9107, LMY0002, 36218, 0202000,

430-21001, 26232A, B422340X6329

( APPLICATIONS )

( MEYERS, BUYERS, ETC. SALT SPREADERS )

( WITH SEALS AND O-RINGS  
TO HELP KEEP WATER OUT )

**(0.511 Shaft diameter with woodruff key)**

**( Shaft length is 1.2” ) ( 985 RPM )**

**“WMS” PART NUMBER, W-8999D**

**\*12V\* ( CCW ) HIGH RPM 2 FIELD**

**“DBB” SLOT SHAFT MOTOR**

REPLACES NUMBERS,

46-2624, 2200478, MUE-7006, W8999,

39200292, 39200380, 9130450064, 016579,

9130450081, 913045008112, MUE-7004,

MUE-6201, 9130450032, 2200849, 2200727

( APPLICATIONS )

( BOSS SNOW PLOWS WITH MTE PUMPS )

( VERY POPULAR SNOW PLOW MOTOR )



**“WMS” PART NUMBER, W-98988**

**\*12V\* (PM) SHAFT MOTOR .5HP\* ( 4.5” DIA. )  
DBB “PM” MOTOR 5/8” SHAFT MOTOR  
W/BAR KEY ( LEESON STYLE )**

**REPLACES NUMBERS,**

**C4D17NK73, A900906, 108046.00, 108047.00,  
108046, 108047, 17737, 50090,  
C4D17NK6B, 108051, 120Z402H/H2**

**( APPLICATIONS )**

**( CANIMEX & AIR FLOW SPREADERS )**

**FLO-TEC / SAND AND SALT SPREAD/MOTOR**

**( 1/2HP ) ( 1800 RPM )**

**( FULL LOAD AMPS = 40 )**

**( OVERALL LENGTH OF MOTOR IS 8.5”  
SHAFT IS 2” LONG )**

**LEESON STYLE OF SCOTT MOTOR W4BB-1601**



**“WMS” PART NUMBER,  
W-98996**

**\*12V\* ( CW/CCW ) 1HP ( 4.5” DIA. )  
DBB “PM” 5/8” SHAFT MOTOR  
WITH BAR KEY SLOT**

**REPLACES NUMBERS,**

**W4BC1602, 4BC-01602, 10867800,  
108677.00, BA3630-4126-56C**

**( APPLICATIONS )**

**( MISC./ MOBIL EQUIPMENT )**

**MOTOR FOR AUGERS AND SPREADERS**

**( 1HP ) ( 1800 RPM )**

**( FULL LOAD AMPS = 80 )**

**( OVERALL LENGTH OF MOTOR IS 11.5” )  
( SHAFT IS 2” LONG WITH SEAL AT DE )**



**“WMS” PART NUMBER, W-9787**

**\*12V\* “GOLD” ( 9 ) SPLINE ( CW ) MOTOR**

**REPLACES NUMBERS,**

**D-6000, DCM-0013, 1185AC, 1787AC,**

**520-001, 1931AC, 13850, 25169,**

**M-3400, FN2-0001N, MUE-6114S,**

**46-4048, A150265, 222423,**


**AMT0097, 02-1020**

**( APPLICATIONS )**

**( FENNER / SPX, SNOWAY SNOW**

**REMOVAL EQUIPMENT, BOSS & HINIKER**

**SNOW PLOWS WITH SPX / FENNER PUMP )**



**“WMS” PART NUMBER, W-8235**

**\*12V\* ( CCW ) DBB  
SLOT SHAFT MOTOR WITH  
“INSULATED” GROUND ( 2 ) POST.**

**( FOUR SERIES PARALLEL COILS  
FOR HIGH RPM & POWER )**

**REPLACES NUMBERS,**

**IM0159, 700-4248, AMJ-4680,  
0136350013, 11.212.721, 2200975, 700-4248**

**( APPLICATIONS )**

**( CLARK, MONARCH HYDRAULICS,  
BUCHER HYDRAULICS, HALDEX BARNES )**



**“WMS” PART NUMBER, W-8991**

**\*12V\* CW \* “DBB” SNOW PLOW MOTOR  
“MEYER” QUICK LIFT E-50 & E-60  
SNOW PLOWS**

**REPLACES NUMBERS,**

**2529AC, W-8991Y, 15727, M2800,  
MUE-6209, DCM00015, 2869AB, E-60,  
W8991S, 15689, 82-7852, AMT0351, 2529AB**

**( APPLICATIONS )**

**DIAMOND & MEYER SNOW PLOWS**



**“WMS” PART NUMBER, W-5981**

**\*12V\* CW/INS “DBB” YELLOW/ORANGE  
PAINTED SLOT SHAFT PLOW MOTOR**

**ISKRA STYLE MOTOR FOR**

**MEYERS QUICK LIFT PLOWS**

**REPLACES NUMBERS,**

**W-5692, AMJ4739, W-5690, W-5698,  
AMJ-4739, W5692, 15829, 15841**

**( APPLICATION )**

**( FENNER FLUID POWER PUMP / SPX )**

**( ISKRA STYLE MOTOR FOR**

**THE MEYER E-57, E-57-H, E-60-H Etc. )**

**( HAS RECESS IN FACE OF THE DE )**



**“WMS” PART NUMBER, W-6800**

**\*12V\* 3” DIAMETER ( PM ) (2) POST  
SLOT SHAFT MOTOR**

REPLACES NUMBERS,

2201073, 2201141, 12217, HYD12217

**( This motor has Metric 5mm thru bolts  
& 1/4 X 20 Terminal posts )**

(APPLICATIONS) (BOSS SNOW PLOWS)

FOR BOSS HYD12209 POWER UNIT

( Double ball bearing motor with the

two terminals out backside of CE frame)



**“WMS” PART NUMBER, W-6804**

**\*12V\* 3” DIAMETER “PM” CW  
SLOT SHAFT PLOW MOTOR**

REPLACES NUMBERS,

W6804, W-6650, 56811, 27753, F000MM0804

**( This motor has Metric 5mm thru bolts  
& 5/16 X 18 Terminal posts )**

( Shaft is 0.625 in diameter with a 0.200 slot )

( “Note” original motor has the

terminals on the sides of the frame )

(APPLICATIONS)

(WESTERN & FISHER SNOW PLOW  
(HOMESTEADER, SUBURBANITE )



**“WMS” PART NUMBER, W-2809**

**\*12V\* PM ( 2 ) WIRE <> 2.75” DIAMETER  
SHAFT MOTOR FOR SPREADERS**

REPLACES NUMBERS, 2809-570006, P-3035,  
2809670004, P3035, 38133202, 94996, 4204 Etc.

(APPLICATIONS) ( WESTERN & FISHER SALT  
SPREADERS )

( COMM TO DRIVE END MOTOR IS 5” LONG)  
CONNECTOR WIRES ARE 7.5” LONG

THE 5mm MOUNTING BOLTS ARE ON 59mm  
CENTERS

( SHAFT IS 1.5”/ 38.1mm LONG AND .3125”/ 7.93mm  
IN DIAMETER WITH A FLAT AREA FOR A SET SCREW )



**Armatures have 3/16” SLOT**



**OEM “WMS” PART NUMBER, W-8032D**

( “DBB” / CCW ) \*12V\* ( 3” ) PERM/MAGNET  
SNOW PLOW MOTOR FOR “MEYERS” EQ.

REPLACE’S NUMBERS,

8370, 540-000, 46-2415, M-4000, MKW4007,  
MGL-4105 E-47, T8793, CM6579, MM48826,  
W8932, MM50552, MM50575, 15054, W-8032

W-8032B, PR2-0060N, 82-7850, 551046,  
551046A, 430-21000, W-8932, 0222328M048HM,

5055240M030MM, 4882640M030MM

( MOTORS HAVE GASKETS AT THE END FRAMES )

( APPLICATION )

( “MEYER” E-47 SNOW PLOWS,

3” DIA/CCW PERMANENT MAGNET SNOW  
PLOW MOTOR FOR “MEYERS” EQUIPMENT )

**“WMS” PART NUMBER, W-8932**

( CCW ) \*12V\* ( 3” ) PERM/MAGNET  
OLD STYLE SNOW PLOW MOTOR FOR  
“MEYERS” EQUIPMENT

REPLACE’S NUMBERS,

M-4000, MKW4007,  
MGL-4105 E-47, T8793, CM6579,  
MM48826, W8932, MM50552,  
15054, 82-7850, 551046, 551046A

( APPLICATION )

( EARLY “MEYER” E-47 SNOW PLOWS,  
3” DIA/CCW PERMANENT MAGNET SNOW  
PLOW MOTOR FOR “MEYERS” EQ.)

CAN USE LATE STYLE “OE” MEYER  
MOTOR, WMS NUMBER W-8032D

**“WMS” PART NUMBER, W-8420**

**12V ( F & R ) 3”/ 76.2mm Dia. PM MOTOR**

REPLACES NUMBERS,

D-6106, 1225542C, 867-97-1163-0062,  
9711630062, 1225542, D6827, W8420,  
8679711630062, 97-1163-0062, 06106, D6106,  
W06106, D6319, W-06106, D6320, D6410


(APPLICATIONS)

( TRYNEX, CURTIS, LESCO,  
SNOW X SALT SPREADERS )

( The same length as OE motor , 4.5” )

( Shaft length is .500”/ 12.7mm )

( Shaft slot size is 2.5mm )



3.115" / 79.12mm

Armature has a single slot across the CE of shaft showing it is for the GKR6104A type generator.

**"WMS" PART NUMBER, WA-734N**

"NEW" \*12V\* BALL BEARING ARMATURE  
USE'S 6-203 BALL BEARING ON BOTH ENDS  
FOR GOODALL GEN/NUMBERS,

79370, 79371, 79373, 79375,  
GKR-6104AS, GKR-6104A



**"WMS" PART NUMBER, W-8940**

\*12V\* ( 4 ) FIELD COIL MOTOR

"EARLY" WESTERN STYLE  
SNOW PLOW MOTOR WITH  
EXPOSED DRIVE SLOT SHAFT

REPLACES NUMBERS,

W-9240, 1020, 25556, 46-806, 6067,  
82-6853, 8570, 540-007, DCM-0012,  
PR2-0063N, M-2900, AND MEZ-7002

( APPLICATIONS )

( EARLY WESTERN SNOW PLOWS )



**"WMS" PART NUMBER, W-8994D**

\*12V\* " CW ( 4 ) FIELD COILS"


REPLACES NUMBERS,

MUE-6103, MUE-7001, 540-002, MM18896,  
PR2-0058N, DCM0011, MUE-6111, M-3000,  
50133, 54133, 56058, 56062, 56133, 56398,  
56410, 58058, 8501, 58082, 46-2473, 46-2584,  
46-3938, 9130450036, 9130450083, A-5819

( APPLICATIONS )

( WESTERN SNOW PLOWS )

( This motor has a ball bearing  
CE frame & a bushing DE frame  
with seals & O-rings )



3.510" / 89.15mm

Armature has a crisscross slot across the CE of shaft showing it is for the GKR6105 generator.

**"WMS" PART NUMBER, WA-6105N**

"NEW" \*12V\* BALL BEARING ARMATURE  
USE'S 6-203 BALL BEARING ON BOTH ENDS

FOR GOODALL GEN/NUMBER,  
GKR-6105, GKR6105S, GKR6105



Part # WB-1179

Part # WB-1180

REPLACES NUMBERS,

GJH-1032S, GJH-2012C, GJH-2012CS

FOR GENERATOR NUMBERS,  
GKR-6104, GKR-6104A,  
GKR-6104S, GKR-6104AS, GKR-6105

L - .645 <> W - .695 <> T - .345 <> LL - 2.50 LONG



**"WMS" NUMBER, WG-6105A**

( RATED AT 90+ AMP OUTPUT )

DOUBLE BALL BEARING UNIT

REPLACES ALL PREVIOUS VERSIONS

OF THE GOODALL STARTING UNIT

GENERATOR SUCH AS,

45-734, GKR6104, GKR6105

GKR7101, 10626, 79-406

79-500, 79-373 etc.

FOR THE EARLY STYLE W/A "BUSHING"  
SHAFT AT THE COMM, USE # WA-678N



**"WMS" PART NUMBER, FW-13194**

REPLACES NUMBERS,  
13194, FW13194

FOR GENERATOR NUMBERS,  
GKR-6104, GKR-6104A, GKR7101  
GKR-6104S, GKR-6104AS, GKR-6105

FIELD COIL WILL FIT IN ALL "GKR"  
GOODALL TYPE GENERATORS



**"WMS" NUMBER, MDL1064AD**

REPLACES NUMBERS,

MDL-1064AD, MDL1064AD, MDL-1064AB

FOR GENERATOR NUMBERS,  
GKR-6104, GKR-6104A,  
GKR-6104S, GKR-6104AS, GKR-6105 & A

**\*\*For Western Motors distributors in your area call us toll free at 1-800-810-0401\*\***



WCS-96 Connector strap



WCS-95 Connector strap



**\*12V\* ( INSULATED GROUND )**

( 4 ) POST SWITCH

REPLACES NUMBERS,  
WS-133, 15-132, 15-133, 15-313, 15-316  
SAS-4202, SAS-4213, SAS-5201A, SAS-5803

**"WMS" PART # WS-133P**

**\*12V\* ( CASE GROUND )**

( 3 ) POST SWITCH

REPLACES NUMBERS,  
WS-139, 15-139, 15-247, 15-345  
SAS-4208, SAS-4220, SAW-4226, 97229

**"WMS" PART # WS-139P**

**\*24V\* "INSULATED" GROUND**

( 4 ) POST SWITCH

CONTINUOUS DUTY / FLAT BRACKET  
REPLACES NUMBERS, 15-141, SAS-4401,  
WS-141, 15-268, SAS-4410, 15-317, SAS-5403A

**"WMS" PART # WS-141P**



**\*12V\* ( METAL BASE GROUND )**

( 3 ) POST SWITCH WITH 0.275 MOUNT/SLOTS

REPLACES NUMBERS,  
634-1221-212, 634-1251-012

( USE THE WCS-634 CONNECTOR )

**"WMS" PART # WS-936**



WCS-634 Connector strap

**\*12V\* EXTENDED DUTY SWITCH**  
REP. 684-1261-212

Switch has special bracket with 0.200  
mount/slots that are approximately  
1.25" forward from rear plate area.  
( CURVED MOUNT W/ INS GROUND )

**"WMS" PART # WS-637L**



**\*12V\* ( INSULATED GROUND )**

( 4 ) POST SWITCH WITH 0.275 MOUNT/SLOTS

REPLACES NUMBERS,  
WS-635, SBJ-6255

( USE THE WCS-634 CONNECTOR )

**"WMS" PART # WS-638**



**NOW AVAILABLE**  
**Made to handle heavy**  
**current loads for the HD**  
**4.5", 5" and 6" diameter**  
**Prestolite, Ohio, Scott**  
**and Leeson type motors**



**C/D switches are**  
**Continuous duty**



**\*12V\* ( HD C/D BEAR SWITCH )**  
**( 4 ) POST W/FLAT BRACKET )**

FOR A HD/BEAR SWITCH WITH A CURVED  
BRACKET USE NUMBER WS-812C

**"WMS" PART # WS-812F**

**\*24V\* ( HD C/D BEAR SWITCH )**  
**( 4 ) POST W/FLAT BRACKET )**

( FOR A HD/BEAR SWITCH  
WITH A CURVED BRACKET  
USE NUMBER WS-824C )

**"WMS" PART # WS-824F**

( C/D \*12V\* ( 6 ) POST SWITCH )

REPLACES NUMBERS,  
WS-386, 200182, 70-311221-5, 15-386  
WS-323, 08136, SO51188, SBD-4201A&G, 15-323

**"WMS" PART # WS-386P**



**\*12V\* 3 POST METAL BASE GROUND**  
**SOLENOID SWITCH ( Import )**  
( MOUNT SLOTS ARE FOR A 1/4X20 SCREW )  
REPLACES NUMBERS, 15-408, SAZ-4201FG

**"WMS" PART NUMBER WS-408**  
**( WIDE MOUNTING SLOTS 0.275 )**



**\*12V\* 4 POST INSULATED GROUND**  
**SOLENOID SWITCH ( Import )**  
( MOUNT SLOTS ARE FOR A 1/4X20 SCREW )  
REPLACES, SAZ-4201GC, SAZ4201ER, 15-483

**"WMS" PART NUMBER WS-483**  
**( WIDE MOUNTING SLOTS 0.275 )**



WCS-23 Connector strap



**\*12V\* 3 POST METAL BASE GROUND**  
**SOLENOID SWITCH ( Import )**  
( MOUNT SLOTS ARE FOR A 10X32 SCREW )  
REPLACES NUMBERS, 15-544, SAZ-4201FY

**"WMS" PART NUMBER WS-544**  
**( NARROW MOUNTING SLOTS 0.220 )**

**We also stock a variety of Mahle/Letrika, Ohio, Imperial, Hannay, Scott, Ametek Prestolite motors & parts**